

Test Bank for Mathematical Ideas 15th Miller

TEST BANK SAMPLE PREVIEW

PUBLISHER

Pearson

COPYRIGHT

2024

ISBN

9780138051242

RESOURCE TYPE

Test Bank

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

List the elements in the set.

1) $\{x \mid x \text{ is a whole number between 5 and 9}\}$

- A) $\{6, 7, 8, 9\}$
- B) $\{6, 7, 8\}$
- C) $\{5, 6, 7, 8, 9\}$
- D) $\{5, 6, 7, 8\}$

Answer: B

2) $\{x \mid x \text{ is an integer between } \quad \text{ and } \quad \}$

- A) $\{ \quad, \quad, \quad, \quad \}$
- B) $\{ \quad, \quad, \quad \}$
- C) $\{ \quad, \quad, \quad, \quad \}$
- D) $\{ \quad, \quad, \quad, \quad, \quad \}$

Answer: B

3) $\{x \mid x \text{ is a negative multiple of 6}\}$

- A) $\{-6, -36, -216, \dots\}$
- B) $\{-6, -12, -18, \dots\}$
- C) $\{0, -6, -12, \dots\}$
- D) $\{6, 12, 18, \dots\}$

Answer: B

4) $\{x \mid x \text{ is an integer greater than } -6\}$

- A) $\{-7, -8, -9\}$
- B) $\{-5, -4, -3, -2\}$
- C) $\{-7, -8, -9, \dots\}$
- D) $\{-5, -4, -3, \dots\}$

Answer: D

5) The set of all whole numbers greater than 1 and less than 5

- A) $\{2, 3, 4, 5\}$
- B) $\{1, 2, 3, 4\}$
- C) $\{2, 3, 4\}$
- D) $\{1, 2, 3, 4, 5\}$

Answer: C

6) $\{x \mid x \text{ is a counting number multiple of 4}\}$

- A) $\{0, 4, 8, 12, \dots\}$
- B) $\{8, 12, 16, \dots\}$
- C) $\{4, 8, 12, \dots\}$
- D) $\emptyset$

Answer: C

7) $\{x \mid x \text{ is a counting number less than } -3\}$

- A) $\{-2, -1, 0, \dots\}$
- B) $\{-4, -5, -6, \dots\}$
- C) $\{\dots, -6, -5, -4\}$
- D) $\emptyset$

Answer: D

8) The set of all positive integer powers of 3.

- A) {1, 8, 27, 64, 125, ...}
- B) {3, 9, 27, 81, 243, ...}
- C) {1, 3, 9, 27, 81, 243, ...}
- D) {3, 6, 9, 12, 15, ...}

Answer: B

9) $\{x \mid x \text{ is an even integer smaller than } 8\}$

- A) {..., -6, -4, -2, 0, 2, 4, 6}
- B) {2, 4, 6}
- C) {..., -6, -4, -2, 2, 4, 6}
- D) {0, 2, 4, 6}

Answer: A

10) The set of the days of the week

- A) {Saturday, Sunday}
- B) {Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Sunday}
- C) {Friday, Monday, Saturday, Sunday, Thursday, Tuesday, Wednesday}
- D) {Tuesday, Thursday}

Answer: C

Write the set in set-builder notation.

11) {5}

- A) {x is a constant}
- B) $\{x \mid x \text{ is a natural number}\}$
- C) {x}
- D) $\{x \mid x \text{ is the natural number } 5\}$

Answer: D

12) {2, 4, 6, 8}

- A) $\{x \mid x \text{ is any even natural number}\}$
- B) {2, 4, 6, 8}
- C) $\{x \mid x \text{ is an even natural number less than } 10\}$
- D) $\{x \mid x \text{ is any even integer less than } 10\}$

Answer: C

13) {18, 19, 20, 21}

- A) $\{x \mid x \text{ is an integer between } 18 \text{ and } 21\}$
- B) $\{x \mid x \text{ is an integer less than } 22\}$
- C) {18, 19, 20, 21}
- D) $\{x \mid x \text{ is an integer between } 17 \text{ and } 22\}$

Answer: D

14) $\{-2, -1, \dots\}$

- A) $\{-2, -1, \dots\}$
- B) $\{x \mid x \text{ is an integer between } -3 \text{ and } \dots\}$
- C) $\{x \mid x \text{ is any integer}\}$
- D) $\{x \mid x \text{ is an integer greater than } -3\}$

Answer: D

15) $\{\dots, -3, -2, -1, 0, 1, 2, 3, \dots\}$

- A) $\{x \mid x \text{ is an integer}\}$
- B) $\{x \mid x \text{ is a natural number}\}$
- C) $\{-3, -2, -1, 0, 1, 2, 3\}$
- D) $\{x \mid x \text{ is any integer greater than } -3\}$

Answer: A

16) $\{14, 21, 28, 35, \dots, 84\}$

- A) $\{x \mid x \text{ is a multiple of } 7 \text{ between } 14 \text{ and } 84\}$
- B) $\{x \mid x \text{ is a multiple of } 7 \text{ between } 7 \text{ and } 91\}$
- C) $\{x \mid x \text{ is a multiple of } 7\}$
- D) $\{x \mid x \text{ is a multiple of } 7 \text{ greater than } 14\}$

Answer: B

17) $\{-3, -1, 1, 3, 5, \dots\}$

- A) $\{x \mid x \text{ is an odd integer greater than } -4\}$
- B) $\{x \mid x \text{ is an odd integer between } -4 \text{ and } 6\}$
- C) $\{x \mid x \text{ is an integer greater than } -4\}$
- D) $\{x \mid x \text{ is an odd integer}\}$

Answer: A

18) $\{2, 4, 8, 16, 32, \dots\}$

- A) $\{x \mid x \text{ is a positive multiple of } 2\}$
- B) $\{x \mid x \text{ is an integer power of } 2\}$
- C) $\{x \mid x \text{ is a positive integer power of } 2\}$
- D) $\{x \mid x \text{ is a positive multiple of } 4\}$

Answer: C

19) The set of all calculus books

- A) $\{x \mid x \text{ is a calculus book}\}$
- B) $\{\text{any calculus book}\}$
- C) $\{x \text{ is a calculus book}\}$
- D) $\{\text{a calculus book}\}$

Answer: A

20) The set of all cars owned by students

- A) $\{x \text{ is a student with a car}\}$
- B) $\{x \mid x \text{ is a car owned by a student}\}$
- C) $\{x \mid x \text{ is a student with a car}\}$
- D) $\{x \text{ is a car}\}$

Answer: B

Identify the set as finite or infinite.

21) $\{8, 9, 10, \dots, 32\}$

- A) Finite
- B) Infinite

Answer: A

$$22) \left\{ 1, \frac{1}{4}, \frac{1}{16}, \frac{1}{64}, \dots \right\}$$

- A) Finite
- B) Infinite

Answer: B

$$23) \{x \mid x \text{ is a counting number larger than } 739\}$$

- A) Infinite
- B) Finite

Answer: A

$$24) \{x \mid x \text{ is an odd counting number}\}$$

- A) Finite
- B) Infinite

Answer: B

$$25) \{x \mid x \text{ is a 12-headed lizard}\}$$

- A) Finite
- B) Infinite

Answer: A

$$26) \{x \mid x \text{ is a fraction between } 77 \text{ and } 78\}$$

- A) Infinite
- B) Finite

Answer: A

$$27) \{x \mid x \text{ is a prime number}\}$$

- A) Finite
- B) Infinite

Answer: B

$$28) \left\{ 1, \frac{5}{8}, \frac{25}{64}, \frac{125}{512}, \dots, \frac{3125}{32768} \right\}$$

- A) Finite
- B) Infinite

Answer: A

Find $n(A)$ for the set.

$$29) A = \{0, 2, 4, 6, 8\}$$

- A) $n(A) = 4$
- B) $n(A) = 8$
- C) $n(A) = 2$
- D) $n(A) = 5$

Answer: D

30) $A = \{900, 901, 902, \dots, 9000\}$

- A) $n(A) = 4$
- B) $n(A) = 8101$
- C) $n(A) = 9000$
- D) $n(A) = 8100$

Answer: B

31) $A = \{x \mid x \text{ is a month in the year}\}$

- A) $n(A) = 24$
- B) $n(A) = 1$
- C) $n(A) = 12$
- D) $n(A) = 52$

Answer: C

32) $A = \{x \mid x \text{ is a number on a clock face}\}$

- A) $n(A) = 3$
- B) $n(A) = 6$
- C) $n(A) = 12$
- D) $n(A) = 24$

Answer: C

33) $A = \{x \mid x \text{ is a second in a minute}\}$

- A) $n(A) = \text{Infinite}$
- B) $n(A) = 60$
- C) $n(A) = 120$
- D) $n(A) = 12$

Answer: B

34) $A = \{1, 1, 2, 2, \dots, 5, 5\}$

- A) $n(A) = 10$
- B) $n(A) = 3$
- C) $n(A) = 6$
- D) $n(A) = 5$

Answer: D

35) $A = \{-9, -8, -7, \dots, 0\}$

- A) $n(A) = 10$
- B) $n(A) = 4$
- C) $n(A) = 9$
- D) $n(A) = 1$

Answer: A

36) $A = \left\{ \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \dots, \frac{1}{29}, \frac{1}{30} \right\}$

- A) $n(A) = \text{Infinite}$
- B) $n(A) = 31$
- C) $n(A) = 30$
- D) $n(A) = 29$

Answer: D

$$37) A = \left\{ \frac{1}{2}, -\frac{1}{2}, \frac{2}{3}, -\frac{2}{3}, \frac{3}{4}, -\frac{3}{4}, \dots, \frac{19}{20}, -\frac{19}{20} \right\}$$

- A) $n(A) = 19$
- B) $n(A) = \text{Infinite}$
- C) $n(A) = 38$
- D) $n(A) = 40$

Answer: C

Determine whether or not the set is well defined.

38) $\{x \mid x \text{ is a tennis player who has won at Wimbledon}\}$

- A) Well defined
- B) Not well defined

Answer: A

39) $\{x \mid x \text{ is a low-fat ice cream}\}$

- A) Well defined
- B) Not well defined

Answer: B

40) $\{x \mid x \text{ is a football team that has won the Super Bowl}\}$

- A) Not well defined
- B) Well defined

Answer: B

41) $\{x \mid x \text{ is a adventure book in the library}\}$

- A) Not well defined
- B) Well defined

Answer: A

42) $\{x \mid x \text{ is a stock on the AmEx today}\}$

- A) Not well defined
- B) Well defined

Answer: B

43) $\{x \mid x \text{ is an expensive boat on the Great Lakes}\}$

- A) Not well defined
- B) Well defined

Answer: A

44) $\{x \mid x \text{ is a four-year college in Oregon}\}$

- A) Well defined
- B) Not well defined

Answer: A

Complete the blank with either $\in$ or $\notin$ to make the statement true.

45) $-2 \underline{\hspace{1cm}} \{2, 4, 6, \dots, 14\}$

- A) $\in$
- B) $\notin$

Answer: B

46) $0 \underline{\hspace{1cm}} \{-1, 1, 3, 10, 20\}$

A) $\in$

B) $\notin$

Answer: B

47) $\{5\} \underline{\hspace{1cm}} \{\{2\}, \{3\}, \{4\}, \{5\}, \{6\}\}$

A) $\in$

B) $\notin$

Answer: A

48) $2 \underline{\hspace{1cm}} \{14, 13, 12, 11\}$

A) $\notin$

B) $\in$

Answer: A

49) $7 \underline{\hspace{1cm}} \{2, 12, 2, 7, 11\}$

A) $\in$

B) $\notin$

Answer: A

50) $4 \underline{\hspace{1cm}} \{2, 3, 4, 5\}$

A) $\notin$

B) $\in$

Answer: B

51) $a \underline{\hspace{1cm}} \{A, B, C, \dots, Z\}$

A) $\in$

B) $\notin$

Answer: B

52) $10 \underline{\hspace{1cm}} \{5, 6, 7, \dots, 10\}$

A) $\notin$

B) $\in$

Answer: B

53) $\{ \} \underline{\hspace{1cm}} \{ -3, -3, -3, -3 \}$

A) $\in$

B) $\notin$

Answer: B

54) $2 \underline{\hspace{1cm}} \{3 + 5, 1 + 5, -1 + 5, -3 + 5\}$

A) $\notin$

B) $\in$

Answer: B

Tell whether the statement is true or false.

55) $6 \in \{12, 18, 24, 30, 36\}$

A) True

B) False

Answer: B

56) $\{4, 8, 12\} = \{0, 4, 8, 12\}$

A) True

B) False

Answer: B

57) $17 \notin \{16, 14, 13, \dots, 1\}$

A) True

B) False

Answer: A

58) $\{6\} = \{x \mid x \text{ is an even counting number between 8 and 14}\}$

A) True

B) False

Answer: B

59) $\{53, 54, 53, 54\} = \{53, 54\}$

A) True

B) False

Answer: A

60) $\{6, 17, 25, 10, 36\} = \{36, 17, 10, 52, 6\}$

A) True

B) False

Answer: B

61) $\{x \mid x \text{ is a counting number greater than 39}\} = \{39, 40, 41, \dots\}$

A) True

B) False

Answer: B

62) $9 \notin \{x \mid x \text{ is an even counting number}\}$

A) True

B) False

Answer: A

63) $k \notin \{p, a, k, h, v\}$

A) True

B) False

Answer: B

64) $\{s, q, y, o, d\} = \{o, d, q, s, y\}$

A) True

B) False

Answer: A

Write true or false for the following statement.

Let $A = \{3, 5, 7, 9, 11, 13\}$

$B = \{3, 5, 9, 11\}$

$C = \{5, 9, 13\}$

65) $13 \notin C$

A) True

B) False

Answer: B

66) $3 \in B$

A) True

B) False

Answer: A

67) Every element of B is also an element of C.

A) True

B) False

Answer: B

68) $A = \{x \mid x \text{ is an odd counting number greater than 1 and less than 15}\}$

A) True

B) False

Answer: A

69) $0 \in A$

A) True

B) False

Answer: B

70) Every element of C is also an element of A.

A) True

B) False

Answer: A

71) $\{x \mid x \text{ is an odd counting number less than 15}\} = A$

A) True

B) False

Answer: B

72) $\{13\} \in B$

A) True

B) False

Answer: B

Use $\subseteq$ or $\not\subseteq$ in the blank to make a true statement.

73) $\{3, 5, 7\} \underline{\hspace{1cm}} \{2, 3, 4, 5, 7\}$

A) $\subseteq$

B) $\not\subseteq$

Answer: A

74) $\{1, 36, 41\} __ \{7, 36, 41, 51\}$

A) $\not\subseteq$

B) $\subseteq$

Answer: A

75) $\{c, a, j, g\} __ \{c, a, j, g, p\}$

A) $\not\subseteq$

B) $\subseteq$

Answer: B

76) $\emptyset __ \emptyset$

A) $\subseteq$

B) $\not\subseteq$

Answer: A

77) $\{11, 13, 15\} __ \{x \mid x \text{ is an odd counting number}\}$

A) $\not\subseteq$

B) $\subseteq$

Answer: B

78) $\{i, b, m\} __ \{i, i, b, b, m, m\}$

A) $\subseteq$

B) $\not\subseteq$

Answer: A

79) $\{x \mid x \text{ is a counting number larger than } 5\} __ \{7, 8, 9, \dots\}$

A) $\not\subseteq$

B) $\subseteq$

Answer: A

Decide whether $\subset$, $\subsetneq$, both, or neither can be placed in the blank to make a true statement.

80) $\{3, 4, 5\} __ \{2, 3, 4, 5\}$

A) Both $\subset$ and $\subsetneq$

B) $\subseteq$

C) $\subsetneq$

D) Neither

Answer: A

81) $\emptyset __ \{9, 13, 27, 46\}$

A) Neither

B) Both $\subset$ and $\subseteq$

C) $\subsetneq$

D) $\subseteq$

Answer: B

82) $\{13, 14, 15\} \underline{\hspace{1cm}} \{13, 14, 15\}$

- A) Both $\subset$ and $\subseteq$
- B) $\subset$
- C) $\subseteq$
- D) Neither

Answer: C

83) $\{0\} \underline{\hspace{1cm}} \emptyset$

- A) Neither
- B) Both $\subset$ and $\subseteq$
- C) $\subset$
- D) $\subseteq$

Answer: A

84) $\{a, b\} \underline{\hspace{1cm}} \{z, a, y, b, x, c\}$

- A) $\subset$
- B) $\subseteq$
- C) Both $\subset$ and $\subseteq$
- D) Neither

Answer: C

85) $\{s, r, t\} \underline{\hspace{1cm}} \{s, r, t\}$

- A) $\subseteq$
- B) Both $\subseteq$ and $\subset$
- C) Neither
- D) $\subset$

Answer: A

Determine whether the statement is true or false.

Let $A = \{1, 3, 5, 7\}$

$B = \{5, 6, 7, 8\}$

$C = \{5, 8\}$

$D = \{2, 5, 8\}$

$U = \{1, 2, 3, 4, 5, 6, 7, 8\}$

86) $C \subset D$

- A) True
- B) False

Answer: A

87) $\emptyset \subseteq A$

- A) True
- B) False

Answer: A

88) $\{6, 5, 8, 7\} \subseteq B$

- A) True
- B) False

Answer: A

89) $D \subseteq B$

A) True

B) False

Answer: B

90) $A \neq \{7, 5, 3, 1\}$

A) True

B) False

Answer: B

91) $\{5\} \subseteq D$

A) True

B) False

Answer: A

92) $\{0\} \subseteq U$

A) True

B) False

Answer: B

93) $\{8, 5, 2\} \subset D$

A) True

B) False

Answer: B

94) $C \not\subseteq B$

A) True

B) False

Answer: B

95) $C \not\subseteq A$

A) True

B) False

Answer: A

Find the number of subsets of the set.

96) $\{11, 12, 13\}$

A) 7

B) 8

C) 3

D) 6

Answer: B

97) $\{x \mid x \text{ is an even number between 19 and 29}\}$

A) 32

B) 16

C) 4

D) 20

Answer: A

98) $\{0\}$

- A) 2
- B) 4
- C) 0
- D) 1

Answer: A

99) {mom, dad, son, daughter}

- A) 12
- B) 14
- C) 8
- D) 16

Answer: D

100) {math, English, history, science, art}

- A) 16
- B) 24
- C) 28
- D) 32

Answer: D

101) $\{x \mid x \text{ is a day of the week}\}$

- A) 124
- B) 256
- C) 127
- D) 128

Answer: D

102) $\{1, 2, 3, \dots, 9\}$

- A) 16
- B) 512
- C) 508
- D) 1024

Answer: B

Find the number of proper subsets of the set.

103) $\{7, 8, 9\}$

- A) 7
- B) 6
- C) 5
- D) 2

Answer: A

104) $\{x \mid x \text{ is an even number between 17 and 35}\}$

- A) 256
- B) 34
- C) 512
- D) 511

Answer: D

105) $\{0\}$

- A) 0
- B) 4
- C) 1
- D) 2

Answer: C

106) {car, boat, truck, train}

- A) 15
- B) 8
- C) 16
- D) 14

Answer: A

107) {poetry, drama, speech, art, film}

- A) 16
- B) 31
- C) 24
- D) 32

Answer: B

108) $\{x \mid x \text{ is a day of the week}\}$

- A) 127
- B) 256
- C) 128
- D) 64

Answer: A

109) $\{1, 2, 3, \dots, 6\}$

- A) 58
- B) 127
- C) 63
- D) 64

Answer: C

Let $U = \{1, 2, 4, 5, a, b, c, d, e\}$. Find the complement of the set.

110) $T = \{2, 4, b, d\}$

- A) $\{1, 3, 5, a, c, e\}$
- B) $\{1, 5, a, c, e\}$
- C) $\{1, 2, 4, 5, a, b, c, d, e\}$
- D) $\{1, 5, a, e\}$

Answer: B

111) $W = \{1, 5, e, d, a\}$

- A) $\{2, 4, b, c\}$
- B) $\{1, 2, 4, b, c\}$
- C) $\{2, 3, 4, b, c\}$
- D) $\{2, 3, 4, a, b, c\}$

Answer: A

112) $R = \{1, 2, 4, 5, a, b, c, e\}$

- A) $\{3, d\}$
- B) $\{u\}$
- C) $\{d\}$
- D) $\emptyset$

Answer: C

113) $F = \{a, b, c, d\}$

- A) $\{1, 2, 4, 5, e\}$
- B) $\{1, 2, 4, 5\}$
- C) $\{e\}$
- D) $\{1, 2, 3, 4, 5, e\}$

Answer: A

114) $M = \{a\}$

- A) $\{u, v\}$
- B) $\{1, 2, 4, 5, b, c, d, e\}$
- C) $\{1, 2, 5, b, c, d, e\}$
- D) $\{1, 2, 3, 4, 5, b, c, d, e\}$

Answer: B

115) $S = \emptyset$

- A) $\{0\}$
- B) $\emptyset'$
- C) U
- D) $\emptyset$

Answer: C

116) $P = \{a, b, d, e, 1, 2, 4, 5\}$

- A) $\emptyset$
- B) $\{c, 3\}$
- C) $\{c\}$
- D) U

Answer: C

117) $C = \{1, 2, 5, b, d\}$

- A) $\{3, 4, a, c, e\}$
- B) $\{4, a, c, e\}$
- C) $\{3, 4, a, b, c, e\}$
- D) $\{4, a, b, c, e\}$

Answer: B

118) $T = U$

- A) T
- B) $\{U - T\}$
- C) U
- D) $\emptyset$

Answer: D

- 119) $O = \{e, a, c, 4, 5\}$
 A) $\{1, 2, b, c, d\}$
 B) $\{1, 2, 3, b, d\}$
 C) $\{b, d, 1, 2, 3\}$
 D) $\{1, 2, b, d\}$

Answer: D

The lists below show five agricultural crops in Alabama, Arkansas, and Louisiana.

<u>Alabama</u>	<u>Arkansas</u>	<u>Louisiana</u>
soybeans (s)	soybeans (s)	soybeans (s)
peanuts (p)	rice (r)	sugarcane (n)
corn (c)	cotton (t)	rice (r)
hay (h)	hay (h)	corn (c)
wheat (w)	wheat (w)	cotton (t)

Let U be the smallest possible universal set that includes all of the crops listed, and let A , K and L be the sets of five crops in Alabama, Arkansas, and Louisiana, respectively. Find each of the following sets.

- 120) The set of crops in U .
 A) $\{s, p, c, w, r, t, n\}$
 B) $\{s, p, c, h, w, r, t, n, c\}$
 C) $\{s, p, c, h, w, s, r, t, h, w, s, n, r, c, t\}$
 D) $\{c, h, n, p, r, s, t, w\}$

Answer: D

- 121) The set of crops in A' .
 A) $\{n, r, t\}$
 B) $\{r, t\}$
 C) $\{h, n, r, t\}$
 D) $\{c, h, n, r, s, t, w\}$

Answer: A

- 122) The set of crops in both A and K
 A) $\{h, s, w\}$
 B) $\{c, h, s, t, w\}$
 C) $\{c, h, p, r, s, t, w\}$
 D) $\{c, p, r, t\}$

Answer: A

- 123) The set of crops in both L and K
 A) $\{c, h, n, w\}$
 B) $\{r, s, t\}$
 C) $\{c, h, n, r, s, t, w\}$
 D) $\{c, n, r, s, t\}$

Answer: B

124) The set of crops in both L and K'

- A) {c, n}
- B) {h, w}
- C) {r, s, t}
- D) {c, n, p}

Answer: A

125) The set of crops in both A and L'

- A) {h, n, t, w}
- B) {c, s}
- C) {n, r, t}
- D) {h, p, w}

Answer: D

126) The set of crops in both A' and K'

- A) {c, p, r, t}
- B) {n}
- C) $\emptyset$
- D) {c, n, p, r, t}

Answer: B

127) The set of crops common to A, K, and L

- A) {n, p, s}
- B) {c, h, n, p, r, s, t, w}
- C) {s}
- D) {n, p}

Answer: C

128) The set of crops in either A or L or both

- A) {c, n, p}
- B) {h, n, p, r, t, w}
- C) {c, s}
- D) {c, h, n, p, r, s, t, w}

Answer: D

129) The set of crops in either A' or L or both

- A) {h, n, p, r, t, w}
- B) {h, p, w}
- C) {n, r, t}
- D) {c, n, r, s, t}

Answer: D

Solve the problem.

130) List all possible subsets of the set {m, n}.

- A) {m}, {n}, {m, n}, $\emptyset$
- B) {m}, {n}, {m, n}
- C) {m}, {n}, $\emptyset$
- D) {m}, {n}

Answer: A

131) List all possible proper subsets of the set $\{2, 6, 7\}$.

- A) $\{2\}, \{6\}, \{7\}, \{2, 6\}, \{2, 7\}, \{6, 7\}, \{2, 6, 7\}$
- B) $\emptyset, \{2\}, \{6\}, \{7\}, \{2, 6\}, \{2, 7\}, \{6, 7\}, \{2, 6, 7\}$
- C) $\{2\}, \{6\}, \{7\}, \{2, 6\}, \{2, 7\}, \{6, 7\}$
- D) $\emptyset, \{2\}, \{6\}, \{7\}, \{2, 6\}, \{2, 7\}, \{6, 7\}$

Answer: D

132) A committee is to be formed. Possible candidates for the committee are Eric, Frances, Greg, and Jose. Denoting these four people by e, f, g, j, list all possible committees of two people (ie list all possible subsets of size two).

- A) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, g\}, \{f, j\}, \{g, j\}, \{f, e\}, \{g, e\}$
- B) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, j\}, \{g, j\}$
- C) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, g\}, \{f, j\}, \{g, j\}$
- D) $\{e, f\}, \{e, g\}, \{f, g\}, \{g, j\}$

Answer: C

133) A committee is to be formed. Possible candidates for the committee are Eric, Frances, Greg, and Jose. Denoting these four people by e, f, g, j, list all possible committees if the committee is to contain at least two people and may contain up to four people.

- A) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, g\}, \{f, j\}, \{g, j\}, \{e, f, g\}, \{e, f, j\}, \{e, g, j\}, \{f, g, j\}, \{e, f, g, j\}$
- B) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, g\}, \{f, j\}, \{g, j\}, \{e, f, g\}, \{e, f, j\}, \{e, g, j\}, \{f, g, j\}$
- C) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, j\}, \{e, f, g\}, \{e, f, j\}, \{e, g, j\}, \{f, g, j\}, \{e, f, g, j\}$
- D) $\{e, f\}, \{e, g\}, \{e, j\}, \{f, g\}, \{f, j\}, \{g, j\}, \{e, f, g\}, \{e, f, j\}, \{f, g, j\}, \{e, f, g, j\}$

Answer: A

134) An adventure travel company has reservations from four people (Lee, Maria, Nancy, and Pablo) for its white water rafting trip on June 1st. However the company knows that any of these people may fail to show up on the day of the trip. Denoting these four people by l, m, n, p, list all possibilities for the group of people who show up on June 1st for the rafting trip (ie list all possible subsets of $\{l, m, n, p\}$).

- A) $\{l\}, \{m\}, \{n\}, \{p\}, \{l, m\}, \{l, n\}, \{l, p\}, \{m, n\}, \{m, p\}, \{n, p\}, \{l, m, n\}, \{l, m, p\}, \{l, n, p\}, \{m, n, p\}, \{m, n, l\}, \{l, m, n, p\}$
- B) $\emptyset, \{l\}, \{m\}, \{n\}, \{p\}, \{l, m\}, \{l, n\}, \{l, p\}, \{m, n\}, \{m, p\}, \{n, p\}, \{l, m, n\}, \{l, m, p\}, \{l, n, p\}, \{m, n, p\}, \{l, m, n, p\}$
- C) $\{l\}, \{m\}, \{n\}, \{p\}, \{l, m\}, \{l, n\}, \{l, p\}, \{m, n\}, \{m, p\}, \{n, p\}, \{l, m, n\}, \{l, m, p\}, \{l, n, p\}, \{m, n, p\}, \{l, m, n, p\}$
- D) $\emptyset, \{l\}, \{m\}, \{n\}, \{p\}, \{l, m\}, \{l, n\}, \{m, n\}, \{m, p\}, \{n, p\}, \{l, m, n\}, \{l, m, p\}, \{l, n, p\}, \{m, n, p\}$

Answer: B

135) A committee is to be formed. Possible candidates for the committee are Anne, Daniel, Raul, Sarah, and Teresa. Denoting these five people by a, d, r, s, t, list all possible committees of three people (ie list all possible subsets of size three).

- A) $\{a, d, r\}, \{a, d, s\}, \{a, d, t\}, \{a, r, s\}, \{a, r, t\}, \{a, s, t\}, \{d, r, s\}, \{d, r, t\}, \{d, s, t\}, \{r, s, t\}$
- B) $\{a, d, r\}, \{a, d, s\}, \{a, d, t\}, \{a, r, s\}, \{d, r, s\}, \{d, r, t\}, \{d, s, t\}, \{r, s, t\}$
- C) $\{a, d, r\}, \{a, d, s\}, \{a, d, t\}, \{a, r, s\}, \{a, r, t\}, \{a, s, t\}, \{d, r, t\}, \{d, s, t\}, \{r, s, t\}$
- D) $\{a, d, r\}, \{a, d, s\}, \{a, d, t\}, \{a, r, s\}, \{a, r, t\}, \{a, s, t\}, \{d, r, s\}, \{d, r, t\}, \{d, s, t\}, \{r, s, t\}, \{d, a, r\}, \{s, t, d\}$

Answer: A

List the elements in the set .

Let $U = \{q, r, s, t, u, v, w, x, y, z\}$

$A = \{q, s, u, w, y\}$

$B = \{q, s, y, z\}$

$C = \{v, w, x, y, z\}$.

136) $A \cup C$

A) $\{q, s, u, w, y, v, w, x, y, z\}$

B) $\{q, s, u, v, w, x, y, z\}$

C) $\{w, y\}$

D) $\{q, s, u, v, w, y, z\}$

Answer: B

137) $B \cap C$

A) $\{q, s, v, w, x, y, z\}$

B) $\{y\}$

C) $\{y, z\}$

D) $\{w, y, z\}$

Answer: C

138) $A \cap B'$

A) $\{t, v, x\}$

B) $\{r, s, t, u, v, w, x, z\}$

C) $\{u, w\}$

D) $\{q, s, t, u, v, w, x, y\}$

Answer: C

139) $(A \cup B)'$

A) $\{s, u, w\}$

B) $\{t, v, x\}$

C) $\{r, s, t, u, v, w, x, z\}$

D) $\{r, t, v, x\}$

Answer: D

140) $(A \cap B)'$

A) $\{s, u, w\}$

B) $\{r, t, u, v, w, x, z\}$

C) $\{t, v, x\}$

D) $\{q, s, t, u, v, w, x, y\}$

Answer: B

141) $A' \cup B$

A) $\{r, s, t, u, v, w, x, z\}$

B) $\{q, s, t, u, v, w, x, y\}$

C) $\{s, u, w\}$

D) $\{q, r, s, t, v, x, y, z\}$

Answer: D

142) $C' \cup A'$

- A) $\{w, y\}$
- B) $\{q, s, u, v, w, x, y, z\}$
- C) $\{s, t\}$
- D) $\{q, r, s, t, u, v, x, z\}$

Answer: D

143) $C' \cap A'$

- A) $\{w, y\}$
- B) $\{r, t\}$
- C) $\{q, r, s, t, u, v, x, z\}$
- D) $\{q, s, u, v, w, x, y, z\}$

Answer: B

144) $C - A$

- A) $\{q, s, u, v, x, z\}$
- B) $\{q, s, u\}$
- C) $\{w, y\}$
- D) $\{v, x, z\}$

Answer: D

145) $A' - C$

- A) $\{q, s, u\}$
- B) $\{v, x, z\}$
- C) $\{q, s, u, v, x, z\}$
- D) $\{r, t\}$

Answer: D

146) $A \cup (B \cap C)$

- A) $\{q, r, w, y, z\}$
- B) $\{q, s, u, w, y, z\}$
- C) $\{q, w, y\}$
- D) $\{q, y, z\}$

Answer: B

147) $A \cap (B \cup C)$

- A) $\{q, r, w, y, z\}$
- B) $\{q, s, w, y\}$
- C) $\{q, y, z\}$
- D) $\{q, s, u, w, y, z\}$

Answer: B

148) $(A' \cup C) \cap B'$

- A) $\{y, z\}$
- B) $\{r, t, u, v, w, s, y, z\}$
- C) $\{v, x\}$
- D) $\{r, t, v, w, x\}$

Answer: D

149) $(B' \cap C)' \cup A$

- A) $\{q, s, u, v, w, x, y\}$
- B) $\{q, s, u, y\}$
- C) $\{q, r, s, t, u, w, y, z\}$
- D) $\{q, r, s, t, u, v, w, x, y\}$

Answer: C

150) $(A \cup B')' \cap C'$

- A) $\{q, r, s, t, u, z\}$
- B) $\{v, w, x, y\}$
- C) $\emptyset$
- D) $\{q, r, s, t, u\}$

Answer: C

151) $B \cap (A - C)$

- A) $\{q, s, u, y, z\}$
- B) $\{q, s, u, y\}$
- C) $\{q, s\}$
- D) $\{q, r, s, t, u, v, w, x, y\}$

Answer: C

152) $(A \cap B') \cup (B \cap A')$

- A) $\{q, s, u, w, y, z\}$
- B) $\{u, w, z\}$
- C) $\{q, s, y\}$
- D) $\{u, w, y, z\}$

Answer: B

Let $U = \{\text{all soda pops}\}$, $A = \{\text{all diet soda pops}\}$, $B = \{\text{all cola soda pops}\}$, $C = \{\text{all soda pops in cans}\}$, and $D = \{\text{all caffeine-free soda pops}\}$. Describe the set in words.

153) $A \cap B$

- A) All diet or all cola soda pops
- B) All diet cola soda pops
- C) All diet and all cola soda pops
- D) All soda pops

Answer: B

154) $A' \cap C$

- A) All diet soda pops in cans
- B) All diet soda pops and all soda pops in cans
- C) All non-diet soda pops in cans
- D) All non-diet soda pops and all soda pops in cans

Answer: C

155) $A \cap B \cap D$

- A) All diet, caffeine-free cola pops in cans
- B) All diet, caffeine-free cola soda pops
- C) All diet and all cola and all caffeine-free soda pops
- D) All soda pops not in cans

Answer: B

156) $(A \cup B) \cup D$

- A) All soda pops not in cans
- B) All soda pops
- C) All diet or all cola or all caffeine- free soda pops
- D) All diet, caffeine- free cola soda pops

Answer: C

157) $(A \cap B) \cap C'$

- A) All non- diet, non- cola soda pops not in cans
- B) All diet cola soda pops not in cans
- C) All cola soda pops not in cans
- D) All diet and all cola soda pops not in cans

Answer: B

158) $(A \cup D) \cap C'$

- A) All diet soda pops not in cans or all caffeine- free soda pops not in cans
- B) All non- cola soda pops not in cans
- C) All non- diet, non- caffeine- free soda pops not in cans
- D) All diet, caffeine- free soda pops not in cans

Answer: A

159) $(A' \cap B') \cup C$

- A) All non- diet non- cola soda pops and all soda pops not in cans
- B) All non- diet non- cola soda pops or all soda pops in cans
- C) All non- diet non- cola soda pops in cans
- D) All non- diet soda pops and all non- cola soda pops in cans

Answer: B

160) $(A - D) \cap B$

- A) All diet soda pops that contain caffeine and all cola soda pops
- B) All non- diet, caffeine- free cola soda pops
- C) All diet caffeine- free cola soda pops
- D) All diet cola soda pops that contain caffeine

Answer: D

161) $(B \cap C') \cup (C \cap B')$

- A) All non- cola soda pops not in cans
- B) All cola soda pops in cans and all non- cola soda pops not in cans
- C) All cola soda pops not in cans or all non- cola soda pops in cans
- D) All cola soda pops and all soda pops in cans

Answer: C

The lists below show five agricultural crops in Alabama, Arkansas, and Louisiana.

<u>Alabama</u>	<u>Arkansas</u>	<u>Louisiana</u>
soybeans (s)	soybeans (s)	soybeans (s)
peanuts (p)	rice (r)	sugarcane (n)
corn (c)	cotton (t)	rice (r)
hay (h)	hay (h)	corn (c)
wheat (w)	wheat (w)	cotton (t)

Let U be the smallest possible universal set that includes all of the crops listed, and let A , K and L be the sets of five crops in Alabama, Arkansas, and Louisiana, respectively. Find each of the following sets.

162) $A \cap K$

- A) $\{c, h, s, t, w\}$
- B) $\{c, h, p, r, s, t, w\}$
- C) $\{h, s, w\}$
- D) $\{c, p, r, t\}$

Answer: C

163) $L \cap K$

- A) $\{c, h, n, r, s, t, w\}$
- B) $\{c, h, n, w\}$
- C) $\{c, n, r, s, t\}$
- D) $\{r, s, t\}$

Answer: D

164) $K' \cap L$

- A) $\{h, w\}$
- B) $\{r, s, t\}$
- C) $\{c, n, p\}$
- D) $\{c, n\}$

Answer: D

165) $L' \cap A$

- A) $\{n, r, t\}$
- B) $\{c, s\}$
- C) $\{h, n, t, w\}$
- D) $\{h, p, w\}$

Answer: D

166) $A' \cap K'$

- A) $\emptyset$
- B) $\{n\}$
- C) $\{c, p, r, t\}$
- D) $\{c, n, p, r, t\}$

Answer: B

- 167) $A \cap K \cap L$
A) $\{s\}$
B) $\{n, p\}$
C) $\{n, p, s\}$
D) $\{c, h, n, p, r, s, t, w\}$

Answer: A

- 168) $A \cup L$
A) $\{h, n, p, r, t, w\}$
B) $\{c, h, n, p, r, s, t, w\}$
C) $\{c, s\}$
D) $\{c, n, p\}$

Answer: B

- 169) $K \cup L$
A) $\{r, s, t\}$
B) $\{n, r, t\}$
C) $\{c, h, n, w\}$
D) $\{c, h, n, r, s, t, w\}$

Answer: D

- 170) $A' \cup L$
A) $\{c, n, r, s, t\}$
B) $\{h, n, p, r, t, w\}$
C) $\{h, p, w\}$
D) $\{n, r, t\}$

Answer: A

- 171) $L' \cup K'$
A) $\{c, h, p, s, w\}$
B) $\{p\}$
C) $\{r, s, t\}$
D) $\{c, h, n, p, w\}$

Answer: D

Let **A** and **B** be sets with cardinal numbers, $n(A) = a$ and $n(B) = b$, respectively. Decide whether the statement is true or false.

- 172) $n(A \cup B) = n(A) - n(B)$
A) True
B) False

Answer: B

- 173) $n(A - B) = n(B - A)$
A) True
B) False

Answer: B

- 174) If $B \subseteq A$, $n(B) = n(A - B)$.
A) True
B) False

Answer: B

175) If $B \subseteq A$, $n(B) = n(A) - n(A - B)$.

A) True

B) False

Answer: A

176) $n(A \cap B) = n(B \cap A)$

A) True

B) False

Answer: A

177) $n(A \cup B) = n(A) + n(B) - n(A \cap B)$

A) True

B) False

Answer: A

178) $n(A \cap B) = n(A) - n(B)$

A) True

B) False

Answer: B

179) $n(A \cup B) + n(A \cap B) = n(A) + n(B)$

A) True

B) False

Answer: A

Tell whether the statement is true or false.

180) $\{2, 9, 11\} = \{0, 2, 9, 11\}$

A) True

B) False

Answer: B

181) $\{52, 53, 52, 53\} = \{52, 53\}$

A) True

B) False

Answer: A

182) $\{6, 15, 28, 10, 31\} = \{31, 15, 10, 82, 6\}$

A) True

B) False

Answer: B

183) $(19, 10) = (10, 19)$

A) True

B) False

Answer: B

184) $(19 - 2, 15 - 4) = (17, 11)$

A) True

B) False

Answer: A

185) $(8 + 6, 7 + 6) = (8, 7)$

- A) True
- B) False

Answer: B

186) $\{(3, 1), (0, 6), (-4, -2)\} = \{(-4, -2), (3, 1), (6, 0)\}$

- A) True
- B) False

Answer: B

Find the Cartesian product.

187) $A = \{7, 4, 9\}$

$B = \{9, 4\}$

Find $A \times B$.

- A) $\{(7, 9), (7, 4), (4, 9), (4, 4), (9, 9), (9, 4)\}$
- B) $\{(9, 7), (9, 4), (9, 9), (4, 7), (4, 4), (4, 9)\}$
- C) $\{(7, 9), (4, 4)\}$
- D) $\{(7, 9), (4, 9), (9, 9)\}$

Answer: A

188) $A = \{i, a\}$

$B = \{t, d, m\}$

Find $A \times B$.

- A) $\{(i, t), (i, d), (i, m), (a, t), (a, d), (a, m)\}$
- B) $\{(i, t), (t, a), (i, d), (d, a), (i, m), (m, a)\}$
- C) $\{(i, t), (a, t), (i, d), (a, d)\}$
- D) $\{(t, i), (t, a), (d, i), (d, a), (m, i), (m, a)\}$

Answer: A

189) $A = \{0\}$

$B = \{20, 30, 40\}$

Find $B \times A$.

- A) $\{(0, 20), (0, 30), (0, 40)\}$
- B) $\{0, 0, 0\}$
- C) $\{(20, 0), (30, 0), (40, 0)\}$
- D) $\{0\}$

Answer: C

190) $A = \{3, 2, 8, 6\}$

$B = \{0, 1\}$

Find $B \times A$.

- A) $\{(3, 0), (3, 1), (2, 0), (2, 1)\}$
- B) $\{(0, 3), (0, 2), (0, 8), (0, 6), (1, 3), (1, 2), (1, 8), (1, 6)\}$
- C) $\{(3, 0), (2, 0), (8, 0), (6, 0), (3, 1), (2, 1), (8, 1), (6, 1)\}$
- D) $\{0, 1, 3, 2, 8, 6\}$

Answer: B

Find the indicated cardinal number.

191) Find $n(A \times B)$ given that $A = \{2\}$ and $B = \{1, 3\}$.

- A) 4
- B) 2
- C) 1
- D) 3

Answer: B

192) Find $n(A \times C)$ given that $A = \{2\}$ and $C = \{4, 5, 6\}$.

- A) 1
- B) 2
- C) 3
- D) 4

Answer: C

193) Find $n(D \times B)$ given that $B = \{1, 3\}$ and $D = \{7, 8, 9, 10\}$.

- A) 12
- B) 7
- C) 16
- D) 8

Answer: D

194) Find $n(C \times D)$ given that $C = \{4, 5, 6\}$ and $D = \{7, 8, 9, 10\}$.

- A) 81
- B) 7
- C) 27
- D) 12

Answer: D

195) Find $n(E)$, given that $n(C \times E) = 18$ and $C = \{4, 5, 6\}$.

- A) 54
- B) 9
- C) 6
- D) 3

Answer: C

196) Find $n(F)$, given that $n(B \times F) = 18$ and $B = \{1, 3\}$.

- A) 36
- B) 54
- C) 9
- D) 6

Answer: C

197) Find $n(G)$, given that $n(D \times G) = 20$ and $D = \{7, 8, 9, 10\}$.

- A) 5
- B) 24
- C) 9
- D) 4

Answer: A

198) Find $n(A \times B)$ given that $n(A) = 20$ and $n(B) = 8$.

- A) 28
- B) 160
- C) 12
- D) 36

Answer: B

199) Find $n(B)$ given that $n(A \times B) = 8$ and $n(A) = 8$.

- A) 16
- B) 1
- C) 0
- D) 8

Answer: B

200) Find $n(A)$ given that $n(A \times B) = 30$ and $n(B) = 3$.

- A) 10
- B) 3
- C) 33
- D) 27


Answer: A

For the given sets, construct a Venn diagram and place the elements in the proper region.


201) Let $U = \{c, d, g, h, k, u, q\}$

$A = \{d, h, g, q\}$


$B = \{c, d, h, u\}$




A)




B)



C)



D)




Answer: A

202) Let $U = \{1, 2, 3, 4, 5, 6, 7, 8\}$


$A = \{3, 6, 8\}$

$B = \{4, 6\}$


$C = \{1, 6, 7, 8\}$




A)




B)



C)



D)




Answer: A


203) Let $U = \{d, e, f, j, q, m, t\}$

$A = \{e, f, j, m\}$


$B = \{d, e, f, t\}$




A)




B)



C)



D)




Answer: C

204) $U = \{2, 4, 6, 8, 10, 12\}$


$A = \{2, 6, 10\}$

$B = \{2, 4, 8\}$


$C = \{2, 8, 10, 12\}$




A)




B)



C)



D)




Answer: A

205) $U = \{a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p\}$


$A = \{a, e, i, o\}$

$B = \{b, c, d, f, g, h, j, k, l, m\}$


$C = \{a, b, c, d, e, f, g\}$




A)




B)



C)




D)




Answer: A

Shade the regions representing the set.


206) $A' \cap B'$




A)




B)



C)




D)




Answer: D


207) $A' \cup B'$




A)




B)



C)




D)




Answer: A


208) $(A \cup B) \cap (A \cap B)'$




A)




B)



C)




D)




Answer: D


209) $(A \cap B) \cup (A \cup B)'$




A)




B)



C)




D)




Answer: A


210) $(A \cap B \cap C)'$




A)




B)



C)




D)




Answer: C


211) $(A \cup B \cup C)'$




A)




B)



C)




D)




Answer: C


212) $C' \cap (A \cup B)$




A)




B)



C)




D)




Answer: A


213) $(A' \cup B) \cap C$




A)




B)



C)




D)




Answer: B


214) $A \cup (B \cap C')$




A)




B)



C)




D)




Answer: C


215) $B \cup (A \cap C')$




A)




B)



C)




D)



Answer: A

Write a description of the shaded region using the symbols A , B , C , $\cup$, $\cap$, $-$, and $'$ as needed.


216)



- A) $A \cap B'$
- B) $A - B$
- C) $B - A'$
- D) $B \cap A'$

Answer: D


217)



- A) $A \cup B$
- B) $A' \cap B'$
- C) $(A \cap B)'$
- D) $A - B$

Answer: B


218)



- A) $A' \cap B$
- B) $(A \cap B)'$
- C) $B - A$
- D) $A' \cup B$

Answer: D


219)



- A) $A \cap B$
- B) $(A \cup B)'$
- C) $A' \cap B'$
- D) $(A \cap B)'$

Answer: D


220)



- A) $(A \cap B) \cup (A \cap B)'$
- B) $A' \cap B'$
- C) $(A - B) \cup (B - A)$
- D) $(A \cap B) \cup (A \cup B)'$

Answer: D


221)



- A) $(A \cap B) \cap C'$
- B) $(A \cup B) \cup C'$
- C) $(A \cup B) \cap C$
- D) $(A \cup B) \cap C'$

Answer: D


222)



- A) $A' \cap C$
- B) $(A' \cap B) \cup C$
- C) $(A \cup B') \cap C$
- D) $(A' \cup B) \cap C$

Answer: D


223)



- A) $(A \cup B) \cup C'$
- B) $A \cup B \cap C'$
- C) $(A \cap B) \cup C'$
- D) $(A \cup B \cup C)'$

Answer: A


224)



- A) $(B - A) \cup C$
- B) $B \cap (A \cap C)'$
- C) $A' \cap C' \cap B$
- D) $B - (A \cap C)$

Answer: C

225)



- A) $A \cup C$
- B) $A \cup C - B$
- C) $C \cap B' \cup A$
- D) $B' \cap A \cup C$

Answer: C

Decide whether the given statement is always true or not always true.

226) $A \cap A' = \emptyset$

- A) Always true
- B) Not always true

Answer: A

227) $(A \cup B) \subseteq A$

- A) Not always true
- B) Always true

Answer: A

- 228) $(A \cap B) \subseteq B$
A) Always true
B) Not always true

Answer: A

- 229) $(A \cap B)' = A' \cup B'$
A) Not always true
B) Always true

Answer: B

- 230) $(A \cup B)' = A' \cup B'$
A) Always true
B) Not always true

Answer: B

- 231) If $A \subseteq B$, then $A \cup B = A$
A) Not always true
B) Always true

Answer: A

- 232) If $B \subseteq A$, then $A \cap B = A$
A) Always true
B) Not always true

Answer: B

- 233) $A - A' = A$
A) Always true
B) Not always true

Answer: A

- 234) $A \cup (B \cap C)' = A \cup (B' \cup C')$
A) Not always true
B) Always true

Answer: B

- 235) $A \cap (B \cup C) = (A \cap B) \cup C$
A) Not always true
B) Always true

Answer: A

Describe the conditions under which the statement is true.

- 236) $A \cap B = A$
A) Always true
B) $B = \emptyset$
C) $B \subseteq A$
D) $A \subseteq B$

Answer: D

- 237) $A \cup \emptyset = U$
 A) Always true
 B) $A \neq \emptyset$
 C) $A = U$
 D) $A = \emptyset$

Answer: C

- 238) $A \cup B = B$
 A) Always true
 B) $B \subseteq A$
 C) $A = \emptyset$
 D) $A \subseteq B$

Answer: D

- 239) $A \cap A' = A$
 A) $A \neq \emptyset$
 B) $A = U$
 C) $A = \emptyset$
 D) Always true

Answer: C

- 240) $A \cap B' = A$
 A) Always true
 B) $B = \emptyset$
 C) $B \subseteq A$
 D) $A \cap B = \emptyset$


Answer: D

- 241) $A \cup B = A$
 A) Always true
 B) $B = \emptyset$
 C) $B \subseteq A$
 D) $A \subseteq B$

Answer: C

Find the cardinal number of the set.

- 242) The numbers in the Venn Diagram below represent cardinalities.




Find $n(A \cup B)$.

- A) 24
 B) 52
 C) 48
 D) 4

Answer: C

243) The numbers in the Venn Diagram below represent cardinalities.




Find $n(A \cap B')$.

- A) 4
- B) 28
- C) 24
- D) 20

Answer: C

244) The numbers in the Venn Diagram below represent cardinalities.




Find $n(A' \cap B' \cap C)$

- A) 21
- B) 27
- C) 13
- D) 14

Answer: D

245) The numbers in the Venn Diagram below represent cardinalities.




Find $n(A \cap B' \cap C)$

- A) 6
- B) 11
- C) 7
- D) 15

Answer: C

246) The numbers in the Venn Diagram below represent cardinalities.



Find $n(B \cup C)$

- A) 49
- B) 42
- C) 60
- D) 14

Answer: A


247) Given: $n(U) = 60$

$$n(A) = 35$$

$$n(B) = 15$$

$$n(A \cap B) = 6$$

Find $n(A \cup B)'$.



- A) 50
- B) 44
- C) 10
- D) 16

Answer: D

248) Given:

$$n(U) = 136$$

$$n(A) = 44$$

$$n(B) = 64$$

$$n(A \cap B) = 17$$


$$n(A \cap C) = 20$$

$$n(A \cap B \cap C) = 9$$

$$n(A' \cap B \cap C') = 38$$

$$n(A' \cap B' \cap C') = 33$$

Find $n(C)$.



A) 12

B) 23

C) 28

D) 41

Answer: D

249) Given:

$$n(A) = 60$$

$$n(B) = 68$$

$$n(C) = 62$$

$$n(A \cap B) = 12$$


$$n(A \cap C) = 14$$

$$n(B \cap C) = 8$$

$$n(A \cap B \cap C) = 6$$

$$n(A' \cap B' \cap C') = 121$$

Find $n(U)$



A) 283

B) 293


C) 162

D) 222

Answer: A

- 250) Given: $n(A \cup B \cup C) = 125$
 $n(A \cap B \cap C) = 17$
 $n(A \cap B) = 36$
 $n(A \cap C) = 33$
 $n(B \cap C) = 31$
 $n(A) = 86$
 $n(B) = 62$
 $n(C) = 60$

Find $n(A' \cap B \cap C)$



- A) 15
- B) 16
- C) 14
- D) 13

Answer: C

Find the cardinal number of the indicated set. Use the cardinal number formula.

- 251) If $n(A) = 6$, $n(B) = 13$ and $n(A \cap B) = 4$, what is $n(A \cup B)$?

- A) 19
- B) 16
- C) 15
- D) 14

Answer: C

- 252) If $n(A) = 32$, $n(B) = 93$ and $n(A \cup B) = 109$, what is $n(A \cap B)$?

- A) 48
- B) 18
- C) 16
- D) 8

Answer: C

- 253) If $n(B) = 60$, $n(A \cap B) = 11$, and $n(A \cup B) = 105$, find $n(A)$.

- A) 58
- B) 56
- C) 45
- D) 54

Answer: B

- 254) If $n(A) = 25$, $n(A \cup B) = 73$, and $n(A \cap B) = 21$, find $n(B)$.


- A) 70
- B) 68
- C) 69
- D) 48

Answer: C


Draw an appropriate Venn diagram and use the given information to fill in the number of elements in each region.

255) $n(U) = 52$, $n(A) = 28$, $n(A \cap B) = 4$, $n(B') = 28$


A)




B)



C)




D)




Answer: D

256) $n(A) = 14$, $n(B) = 21$, $n(A \cup B) = 25$, $n(B') = 9$


A)




B)



C)




D)




Answer: A

257) $n(A') = 26$, $n(B) = 32$, $n(A \cap B) = 11$, $n(A' \cup B') = 35$


A)




B)



C)




D)




Answer: D

258) $n(A) = 30$, $n(B) = 28$, $n(C) = 35$, $n(A \cap B) = 12$, $n(A \cap C) = 15$, $n(B \cap C) = 14$, $n(U) = 67$


A)




B)



C)




D)




Answer: C

259) $n(A) = 48$, $n(B') = 60$, $n(C) = 51$, $n(A \cap B) = 20$, $n(B \cap C) = 19$, $n(A \cap C) = 18$, $n(A \cap B \cap C) = 12$, $n(A \cup B) = 70$


A)




B)



C)




D)




Answer: C

260) $n(A) = 35$, $n(A \cap B') = 24$, $n(A \cap C) = 15$, $n(B \cap C) = 14$, $n(A' \cap B' \cap C') = 10$, $n(A \cap B \cap C) = 6$,
 $n(B \cup C) = 52$, $n(B \cap C') = 18$


A)




B)



C)



D)



Answer: D

Solve the problem.

261) Mrs. Bollo's second grade class of thirty students conducted a pet ownership survey. Results of the survey indicate that 8 students own a cat, 15 students own a dog, and 5 students own both a cat and a dog. How many of the students surveyed own no cats?

- A) 15
- B) 22
- C) 10
- D) 27

Answer: B

262) Monticello residents were surveyed concerning their preferences for candidates Moore and Allen in an upcoming election. Of the 800 respondents, 300 support neither Moore nor Allen, 100 support both Moore and Allen, and 250 support only Moore. How many residents support Moore or Allen?

- A) 500
- B) 300
- C) 400
- D) 100

Answer: A

- 263) A local television station sent out questionnaires to determine if viewers would rather see a documentary, an interview show, or reruns of a game show. There were 900 responses with the following results:
- 270 were interested in an interview show and a documentary, but not reruns.
 - 36 were interested in an interview show and reruns but not a documentary.
 - 126 were interested in reruns but not an interview show.
 - 216 were interested in an interview show but not a documentary.
 - 90 were interested in a documentary and reruns.
 - 54 were interested in an interview show and reruns.
 - 72 were interested in none of the three.

How many are interested in exactly one kind of show?

- A) 412
- B) 422
- C) 442
- D) 432

Answer: D

- 264) A survey of 260 families showed that
- 99 had a dog;
 - 76 had a cat;
 - 34 had a dog and a cat;
 - 98 had neither a cat nor a dog nor a parakeet;
 - 8 had a cat, a dog, and a parakeet.

How many had a parakeet only?

- A) 31
- B) 26
- C) 36
- D) 21

Answer: D

- 265) A survey of a group of 115 tourists was taken in St. Louis. The survey showed the following:
- 62 of the tourists plan to visit Gateway Arch;
 - 49 plan to visit the zoo;
 - 11 plan to visit the Art Museum and the zoo, but not the gateway Arch;
 - 13 plan to visit the Art Museum and the Gateway Arch, but not the zoo;
 - 18 plan to visit the Gateway Arch and the zoo, but not the Art Museum;
 - 8 plan to visit the Art Museum, the zoo, and the Gateway Arch;
 - 16 plan to visit none of the three places.

How many plan to visit the Art Museum only?

- A) 99
- B) 14
- C) 49
- D) 37

Answer: B

- 266) In a survey of 280 people, a travel company asked people about places they plan to visit in the next 5 years. The results were as follows:
- 48 plan to visit Europe
 - 58 plan to visit Latin America
 - 34 plan to visit Asia
 - 14 plan to visit Europe and Latin America
 - 12 plan to visit Latin America and Asia
 - 11 plan to visit Europe and Asia
 - 4 plan to visit all three

How many people plan to visit exactly two of these places?

- A) 37
- B) 29
- C) 25
- D) 18

Answer: C

- 267) A survey of 134 college students was done to find out what elective courses they were taking. Let A = the set of those taking art, B = the set of those taking basketweaving, and C = the set of those taking canoeing. The study revealed the following information.

$$\begin{aligned}n(A) &= 45 & n(A \cap B) &= 12 \\n(B) &= 55 & n(A \cap C) &= 15 \\n(C) &= 40 & n(B \cap C) &= 23 \\n(A \cap B \cap C) &= 2\end{aligned}$$

How many students were not taking any of these electives?

- A) 44
- B) 52
- C) 42
- D) 10

Answer: C

Answer Key

Testname: UNTITLED2

- 1) B
- 2) B
- 3) B
- 4) D
- 5) C
- 6) C
- 7) D
- 8) B
- 9) A
- 10) C
- 11) D
- 12) C
- 13) D
- 14) D
- 15) A
- 16) B
- 17) A
- 18) C
- 19) A
- 20) B
- 21) A
- 22) B
- 23) A
- 24) B
- 25) A
- 26) A
- 27) B
- 28) A
- 29) D
- 30) B
- 31) C
- 32) C
- 33) B
- 34) D
- 35) A
- 36) D
- 37) C
- 38) A
- 39) B
- 40) B
- 41) A
- 42) B
- 43) A
- 44) A
- 45) B
- 46) B
- 47) A
- 48) A
- 49) A
- 50) B

Answer Key

Testname: UNTITLED2

- 51) B
- 52) B
- 53) B
- 54) B
- 55) B
- 56) B
- 57) A
- 58) B
- 59) A
- 60) B
- 61) B
- 62) A
- 63) B
- 64) A
- 65) B
- 66) A
- 67) B
- 68) A
- 69) B
- 70) A
- 71) B
- 72) B
- 73) A
- 74) A
- 75) B
- 76) A
- 77) B
- 78) A
- 79) A
- 80) A
- 81) B
- 82) C
- 83) A
- 84) C
- 85) A
- 86) A
- 87) A
- 88) A
- 89) B
- 90) B
- 91) A
- 92) B
- 93) B
- 94) B
- 95) A
- 96) B
- 97) A
- 98) A
- 99) D
- 100) D

Answer Key

Testname: UNTITLED2

- 101) D
- 102) B
- 103) A
- 104) D
- 105) C
- 106) A
- 107) B
- 108) A
- 109) C
- 110) B
- 111) A
- 112) C
- 113) A
- 114) B
- 115) C
- 116) C
- 117) B
- 118) D
- 119) D
- 120) D
- 121) A
- 122) A
- 123) B
- 124) A
- 125) D
- 126) B
- 127) C
- 128) D
- 129) D
- 130) A
- 131) D
- 132) C
- 133) A
- 134) B
- 135) A
- 136) B
- 137) C
- 138) C
- 139) D
- 140) B
- 141) D
- 142) D
- 143) B
- 144) D
- 145) D
- 146) B
- 147) B
- 148) D
- 149) C
- 150) C

Answer Key

Testname: UNTITLED2

- 151) C
- 152) B
- 153) B
- 154) C
- 155) B
- 156) C
- 157) B
- 158) A
- 159) B
- 160) D
- 161) C
- 162) C
- 163) D
- 164) D
- 165) D
- 166) B
- 167) A
- 168) B
- 169) D
- 170) A
- 171) D
- 172) B
- 173) B
- 174) B
- 175) A
- 176) A
- 177) A
- 178) B
- 179) A
- 180) B
- 181) A
- 182) B
- 183) B
- 184) A
- 185) B
- 186) B
- 187) A
- 188) A
- 189) C
- 190) B
- 191) B
- 192) C
- 193) D
- 194) D
- 195) C
- 196) C
- 197) A
- 198) B
- 199) B
- 200) A

Answer Key

Testname: UNTITLED2

- 201) A
- 202) A
- 203) C
- 204) A
- 205) A
- 206) D
- 207) A
- 208) D
- 209) A
- 210) C
- 211) C
- 212) A
- 213) B
- 214) C
- 215) A
- 216) D
- 217) B
- 218) D
- 219) D
- 220) D
- 221) D
- 222) D
- 223) A
- 224) C
- 225) C
- 226) A
- 227) A
- 228) A
- 229) B
- 230) B
- 231) A
- 232) B
- 233) A
- 234) B
- 235) A
- 236) D
- 237) C
- 238) D
- 239) C
- 240) D
- 241) C
- 242) C
- 243) C
- 244) D
- 245) C
- 246) A
- 247) D
- 248) D
- 249) A
- 250) C

Answer Key

Testname: UNTITLED2

- 251) C
- 252) C
- 253) B
- 254) C
- 255) D
- 256) A
- 257) D
- 258) C
- 259) C
- 260) D
- 261) B
- 262) A
- 263) D
- 264) D
- 265) B
- 266) C
- 267) C