

Solutions Manual for Introduction to Java Programming and Data Structures 13th Liang

SOLUTIONS MANUAL SAMPLE PREVIEW

PUBLISHER

Pearson

COPYRIGHT

2025

ISBN

9780138123352

RESOURCE TYPE

Solutions Manual

Solutions for UML Class Diagrams

Chapter 9

Exercise 9.1: Rectangle

Rectangle	
width: double height: double	The width of this rectangle (default 1). The height of this rectangle (default 1).
Rectangle() Rectangle(width: double, height: double) getArea(): double getPerimeter(): double	Constructs a default rectangle. Constructs a rectangle with the specified width and height. Returns the area of this rectangle. Returns the perimeter of this rectangle.

Exercise 9.2: Stock

Stock	
symbol: String name: String previousClosingPrice: double currentPrice: double	The symbol of this stock. The name of this stock. The previous closing price of this stock. The current price of this stock.
Stock(symbol: String, name: String) getChangePercent(): double	Constructs a stock with a specified symbol and a name. Returns the percentage of change of this stock.

Exercise 9.6: Stopwatch

StopWatch	
-startTime: long -endTime: long	get methods for all data fields are provided and omitted for brevity.
+StopWatch() +start(): void +stop(): void +getElapsdTime(): long	
	Constructs a StopWatch object.
	Starts the watch.
	Stops the watch.
	Returns the elapsed time for the stop watch in milliseconds.

Exercise 9.7: Account

Account	
-id: int	The ID of this account (default 0).
-balance: double	The balance of this account (default 0).
- <u>annualInterestRate</u> : double	The annual interest rate of this account (default 0).
-dateCreated: java.util.Date	The date when this account was created.
+Account()	Constructs a default account.
+Account(id: int, balance: double)	Constructs an account with the specified ID and balance.
+getId(): int	Returns the ID of this account.
+getBalance(): double	Returns the balance of this account.
+ <u>getAnnualInterestRate</u> (): double	Returns the interest rate of this account
+ <u>getMonthlyInterestRate</u> (): double	Returns the monthly interest rate of this account
+getDateCreated(): java.util.Date	Returns the date when this account was created.
+setId(id: int): void	Sets a new ID of this account.
+ <u>setAnnualInterestRate</u> (annualInterestRate: double): void	Sets a new interest rate for this account.
+getMonthlyInterest(): double	Returns the monthly interest of this account.
+withdraw(amount: double): void	Withdraws the specified amount from this account.
+deposit(amount: double): void	Deposits the specified amount to this account.

Exercise 9.8: Fan

Fan	
+ <u>SLOW</u> = 1	Constant.
+ <u>MEDIUM</u> = 2	Constant.
+ <u>FAST</u> = 3	Constant.
-speed: int	The speed of this fan (default 1).
-on: boolean	Indicates whether the fan is on (default false).
-radius: double	The radius of this fan (default 5).
-color: String	The color of this fan (default white).
+Fan()	Constructs a fan with default values.
+getSpeed(): int	Returns the speed of this fan.
+setSpeed(speed: int): void	Sets a new speed for this fan.
+isOn(): boolean	Returns true if this fan is on.
+setOn(on: boolean): void	Sets this fan on to true or false.
+getRadius(): double	Returns the radius of this fan.
+setRadius(radius: double): void	Sets a new radius for this fan.
+getColor(): String	Returns the color of this fan.
+setColor(color: String): void	Sets a new color for this fan.
+toString(): String	Returns a string representation for this fan.

Exercise 9.9: RegularPolygon