

Solutions Manual for Java Illuminated 5th Anderson

SOLUTIONS MANUAL SAMPLE PREVIEW

PUBLISHER

JB Learning

COPYRIGHT

2019

ISBN

9781284140996

RESOURCE TYPE

Solutions Manual

1.7 Exercises, Problems, and Projects

1.7.1 Multiple Choice Exercises:

1. Java
2. Linux
3. 24
4. servers
5. is even
6. is odd
7. is a multiple of 4
8. true
9. Windows
10. C
11. .java
12. .class
13. `javac Hello.java`
14. `java Hello`

1.7.2 Converting Numbers

15. 0100 0011
16. 0110 0001 1100
17. 21
18. 3,413
19. 0x15
20. 1101 1000 1111

1.7.3 General Questions

21. 2^7 , or 128
22. 2.5 billion
23. 2600 MHz (or 2.6 GHz)
24. with 5 bits, 2^5 or 32 colors; with n bits, 2^n colors
25. red = 51; green = 171; blue = 18
26. 256 shades of grey, including black and white
27. OOP/code reuse, symbolic/easy to use, platform independent
28. `javac`
29. read first number
read second number
set product to (first number * second number)
output product
30. set first total to 0
set second total to 0
while there is a number to read, repeat next instruction

```
        if number is greater than or equal to 10
            add number to first total
        else
            add number to second total
    end while
    output first total
    output second total
```

Chapter 1 – Exercise # 35 - Group Project

1. Convert 0xC3E into an octal number

We propose 2 algorithms:

Algorithm A: convert to decimal, then convert to octal

First we convert 0xC3E to its decimal equivalent:

C = 12 and E = 14

$$0xC3E = 12 * 16^2 + 3 * 16^1 + 14 * 16^0$$

$$0xC3E = 12 * 256 + 3 * 16 + 14 * 1$$

$$0xC3E = 3072 + 48 + 14 = 3134$$

Then we convert its decimal equivalent, 3134, to its octal representation.

To do that, we decompose 3134 as a sum of powers of 8 with coefficients between 0 and 7

The powers of 8 are: 1, 8, 64, 512, 4096, ...

$$\begin{aligned} 3134 &= 6 * 512 + 62 \\ &= 6 * 512 + 7 * 8 + 6 \end{aligned}$$

$$\begin{aligned} 3134 &= 6 * 512 + 7 * 8 + 6 * 1 \\ &= 6 * 8^3 + 7 * 8^1 + 6 * 8^0 \end{aligned}$$

We find that 3134 is 06076 in the octal system.

Thus, 0xC3E is 06076 in octal representation.

Algorithm B: convert to binary, then convert to octal

First we convert 0xC3E to its binary equivalent:

C = 1100, 3 = 0011, and E = 1110

$$0xC3E = 1100\ 0011\ 1110 = 110000111110$$

Then we regroup the bits 3 at a time starting from the right

$$0xC3E = 110\ 000\ 111\ 110$$

Then we convert to octal

$$0xC3E = 6\ 0\ 7\ 6 = 6076$$

Thus, 0xC3E is 06076 in octal representation.

2. Convert 0377 into a hexadecimal number

We propose 2 algorithms:

Algorithm A: convert to decimal, then to hexadecimal

First we convert 0377 to its decimal equivalent

$$\begin{aligned} 0377 &= 3 * 8^2 + 7 * 8^1 + 7 * 8^0 \\ &= 3 * 64 + 7 * 8 + 7 * 1 \\ &= 192 + 56 + 7 \\ &= 255 \end{aligned}$$

Then we convert its decimal equivalent, 255, to its hexadecimal representation

To do that, we decompose 255 as a sum of powers of 16 with coefficients between 0 and 15

The powers of 16 are: 1, 16, 256, ...

$$\begin{aligned} 255 &= 15 * 16 + 15 \\ &= 15 * 16 + 15 * 1 \\ &= 15 * 16^1 + 15 * 16^0 \end{aligned}$$

Since 15 is F in hexadecimal notation, 255 is 0xFF in the hexadecimal system.

Thus, 0377 is 0xFF in hexadecimal representation.

Algorithm B: convert to binary, then to hexadecimal

Convert to binary

$$0377 = 011\ 111\ 111 = 011111111$$

Then we regroup the bits 4 at a time

$$0377 = 011111111 = 0\ 1111\ 1111 = 1111\ 1111$$

Then we convert to hexadecimal

$$0377 = F\ F = 0xFF$$

3 – How to convert, in general, a hexadecimal number to its octal representation and vice versa.

Again, we propose 2 algorithms:

Algorithm A: convert to decimal, then octal or hexadecimal

Convert a hexadecimal number h to its octal representation:

Step 1: convert h to its decimal representation, d

Each digit in h represents the coefficient of the corresponding power of 16

For the i th rightmost digit, the corresponding power of 16 is 16^i

Step 2: convert d to its octal representation, o

Decompose d into a sum of powers of 8 with coefficients from 0 to 7

The coefficients represent d in the octal system.

Convert an octal number o to its hexadecimal representation:

Step 1: convert o to its decimal representation, d

Each digit in o represents the coefficient of the corresponding power of 8

For the i th rightmost digit, the corresponding power of 8 is 8^i

Step 2: convert d to its hexadecimal representation, h

Decompose d into a sum of powers of 16 with coefficients from 0 to 15

The coefficients represent d in the hexadecimal system.

Algorithm B: convert to binary, then to octal or hexadecimal

Convert a hexadecimal number h to its octal representation:

Step 1: convert h to its binary representation, b

Each digit in h is converted to its 4 bits representation in binary (from 0000 for 0 to 1111 for F)

Step 2: convert b to its octal representation, o

Regroup the bits by groups of 3, starting from the right, and zero filling if necessary to create 3 bits for the leftmost group. Then convert each group to its octal representation

Convert an octal number o to its hexadecimal representation:

Step 1: convert o to its binary representation, b

Each digit in o is converted to its 3 bits representation in binary (from 000 for 0 to 111 for 7)

Step 2: convert b to its hexadecimal representation, h

Regroup the bits by groups of 4, starting from the right, and zero filling if necessary to create 4 bits for the leftmost group. Then convert each group to its hexadecimal representation